

Why Doesn't a Picture Hang Straight?


Kirk T. McDonald

Joseph Henry Laboratories, Princeton University, Princeton, NJ 08544

(December 9, 2015)

This problem was often posed by A. Shenstone on the Princeton U. Graduate Physics Preliminary Exams many years ago.

We take a picture to be a uniform rectangular plate of width $2c$ that is suspended from a single point by a wire of length $2a$. Then, when the picture is “hung straight,” the point of support is distance $b = \sqrt{a^2 - c^2}$ above the horizontal line between the two ends of the wire, at the vertical edges of the picture. The center of mass of the picture is at distance $b + d$ below the support point.



If the wire slips with respect to the support point, the latter lies on an ellipse with semimajor axis a and semiminor axis b . The center of mass of the picture still lies directly below the support point, now at distance h from it. The system is unstable against such slippage if the center of mass falls as the wire slips, *i.e.*, if

$$h > b + d, \quad (1)$$

Taking the new support point to be at (x, y) in a rectangular coordinate system with origin at the center of the ellipse, the equation of the latter is

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1, \quad (2)$$

So, for slippage to a new support point at small x , the new y of the support point is

$$y = b\sqrt{1 - \frac{x^2}{a^2}} \approx b - \frac{bx^2}{2a^2}. \quad (3)$$

Then the distance h is related by

$$h^2 = x^2 + (y + d)^2 \approx x^2 + \left(b + d - \frac{bx^2}{2a^2}\right)^2 \approx (b + d)^2 + x^2 \left(1 - \frac{b(b + d)}{a^2}\right). \quad (4)$$

The system is stable only if the coefficient of x^2 in eq.(4) is positive, *i.e.*, only if

$$a^2 - b^2 = c^2 > bd. \quad (5)$$

This condition is often not met in practice, particularly if b is small so that the support point is hidden from view behind the picture, and such pictures don't hang straight.