

Radiofrequency Quadrupole

Kirk T. McDonald

Joseph Henry Laboratories, Princeton University, Princeton, NJ 08544

(Feb. 27, 1997)

1 The Problem

A radiofrequency quadrupole (RFQ) is a device for focussing beams of charged particles. The electric field in this device can be approximated as that derived from the quasistatic potential

$$\phi(x, y, t) = \frac{E_0}{2d}(y^2 - x^2) \sin \omega t, \quad (1)$$

where d is a length and ω is the frequency of the field. The magnetic field is ignored in this approximation. While the approximate fields do not satisfy Maxwell's equations, there is little error for $|x|, |y| \ll \lambda$, the wavelength of the radiofrequency waves.

Deduce the equations of motion for a particle of charge e and mass m in the radiofrequency quadrupole. Consider solutions of the form

$$x(t) = f(t) + g(t) \sin \omega t \quad (2)$$

where $g \ll f$ and both f and g are slowly varying compared to $\sin \omega t$. The parameters may be assumed to satisfy the conditions that such solutions exist.

Complete the solution for the particular case that

$$x(0) = 0, \quad \dot{x}(0) = v_0 \theta_0, \quad (3)$$

$$y(0) = 0, \quad \dot{y}(0) = 0, \quad (4)$$

$$z(0) = 0, \quad \dot{z}(0) = v_0, \quad (5)$$

with $\theta_0 \ll 1$. At what distance along the z -axis is the first image of the beam 'spot', *i.e.*, where the initially diverging beam is brought back to the z -axis?

2 Solution

This problem was abstracted from [1].

The electric field in the RFQ can be obtained from the potential via $\mathbf{E} = -\nabla\phi$, so

$$E_x = \frac{x}{d} E_0 \sin \omega t, \quad (6)$$

$$E_y = -\frac{y}{d} E_0 \sin \omega t. \quad (7)$$

The equations of motion are

$$\ddot{x} = \frac{x}{d} \frac{e E_0}{m} \sin \omega t, \quad (8)$$

$$\ddot{y} = -\frac{y}{d} \frac{e E_0}{m} \sin \omega t, \quad (9)$$

$$\ddot{z} = 0. \quad (10)$$

Then,

$$z(t) = z_0 + v_{0z}t = v_0t \quad (11)$$

for the particular case specified.

For the x motion, we consider the form (2),

$$\dot{x} = \dot{f} + \dot{g} \sin \omega t + \omega g \cos \omega t, \quad (12)$$

$$\ddot{x} = \ddot{f} + \ddot{g} \sin \omega t + 2\omega \dot{g} \cos \omega t - \omega^2 g \sin \omega t. \quad (13)$$

The x equation of motion now yields

$$\ddot{f} + 2\omega \dot{g} \cos \omega t = \left[-\ddot{g} + \omega^2 g + \frac{f + g \sin \omega t}{d} \frac{eE_0}{m} \right] \sin \omega t. \quad (14)$$

Since g is both small and slowly varying by hypothesis, we neglect the terms involving \dot{g} and \ddot{g} , leaving

$$\ddot{f} \approx \left[\omega^2 g + \frac{f}{d} \frac{eE_0}{m} \right] \sin \omega t + \frac{g}{d} \frac{eE_0}{m} \sin^2 \omega t. \quad (15)$$

In this, the coefficient of the rapidly varying term $\sin \omega t$ should vanish, and \ddot{f} should be the average of the term in $\sin^2 \omega t$. The first condition tells us that

$$g = -\frac{eE_0}{m\omega^2 d} f, \quad (16)$$

which combines with the (averaged) second condition to give a differential equation for f :

$$\ddot{f} = -\frac{1}{2} \left(\frac{eE_0}{m\omega d} \right)^2 f. \quad (17)$$

Thus,

$$f \approx A \cos \Omega t + B \sin \Omega t, \quad \text{where} \quad \Omega = \frac{eE_0}{\sqrt{2}m\omega d}. \quad (18)$$

Together we have

$$x(t) \approx (A \cos \Omega t + B \sin \Omega t) \left(1 - \frac{eE_0}{m\omega^2 d} \sin \omega t \right). \quad (19)$$

The particular initial conditions (3-5) are satisfied by

$$x(t) \approx \frac{v_0 \theta_0}{\Omega} \sin \Omega t \left(1 - \frac{eE_0}{m\omega^2 d} \sin \omega t \right). \quad (20)$$

For this to be consistent we must have that

$$\frac{eE_0}{m\omega^2 d} \ll 1. \quad (21)$$

Then, the beam returns to the z -axis at time $t = \pi/\Omega$, corresponding to distance $z = \pi v_0/\Omega$.

The argument is similar for the y motion. The opposite sign of the electric field leads to

$$g = +\frac{eE_0}{m\omega^2 d} f, \quad (22)$$

and so

$$y(t) \approx (C \cos \Omega t + D \sin \Omega t) \left(1 + \frac{eE_0}{m\omega^2 d} \sin \omega t \right). \quad (23)$$

The particular initial conditions (3-5), however, require that both C and D vanish.

Experts will recognize that the dimensionless quantity

$$\eta \equiv \frac{eE_0}{m\omega c}, \quad (24)$$

where c is the speed of light, is a useful invariant of the field. In terms of this invariant the condition of validity of the solution is

$$\eta \frac{\lambda}{2\pi d} \ll 1. \quad (25)$$

If d is a characteristic aperture of the RFQ, we earlier required that $\lambda \gg d$ so the quasistatic approximation to the fields would be valid. Hence, the invariant field strength η cannot be too large in the RFQ.

The physical meaning of the invariant η is that it is the ratio of the energy gain over distance $\lambda/2\pi$ to the electron rest energy mc^2 :

$$\eta = \frac{eE_0}{m\omega c} = \frac{eE_0 \lambda / 2\pi}{mc^2}. \quad (26)$$

Thus, the RFQ should not impart relativistic transverse motion to the particles if it is to function as described above.

References

- [1] T.P. Wangler, *Strong focusing and the radiofrequency quadrupole accelerator*, Am. J. Phys. **64**, 177 (1996),
http://puhep1.princeton.edu/~mcdonald/examples/EM/wangler_ajp_64_177_96.pdf